	प्रश्नपत्रिल Pape	ooklet Code & Serial No. का कोड व क्रमांक er-III							
LIFE SCIENCE									
Sig	nature and Name of Invigilator	Seat No.							
1. (S	Signature)	(In figures as in Admit Card							
(\mathbf{N})	Name)	Seat No.							
2. (Signature)		(In words)							
(\mathbf{N})	Jame)	OMR Sheet No.							
AF	PR - 34317	(To be filled by the Candidate)							
Tin	ne Allowed : 2½ Hours]	[Maximum Marks : 15							
Nur	nber of Pages in this Booklet : 20	Number of Questions in this Booklet : 7							
1. 2. 3.	 Instructions for the Candidates Write your Seat No. and OMR Sheet No. in the space provided on the top of this page. This paper consists of 75 objective type questions. Each question will carry <i>two</i> marks. <i>All</i> questions of Paper-III will be compulsory, covering entire syllabus (including all electives, without options). At the commencement of examination, the question booklet will be given to the student. In the first 5 minutes, you are requested to open the booklet and compulsorily examine it as follows: (<i>i</i>) To have access to the Question Booklet, tear off the paper seal on the edge of this cover page. Do not accept a booklet without sticker-seal or open booklet. (<i>iii</i>) Tally the number of pages and number of questions in the booklet with the information printed on the cover page. Faulty booklets due to missing pages/ questions or questions repeated or not in serial order or any other discrepancy should not be accepted and correct booklet should be obtained from the invigilator within the period of 5 minutes. Afterwards, neither the Question Booklet will be given. The same may please be noted. (<i>iii</i>) After this verification is over, the OMR Sheet Number should be entered on this Test Booklet. (<i>j</i>) Nou have to darken the circle as indicated below on the correct response against each item. 	विद्यार्थ्यांसाठी महत्त्वाच्या सूचना 1. परिक्षार्थींनी आपला आसन क्रमांक या पृष्ठावरील वरच्या कोप-यात लिहाव तसेच आपणांस दिलेल्या उत्तरपत्रिकेचा क्रमांक त्याखाली लिहावा. 2. सदर प्रश्नपत्रिकेत 75 बहुपर्यायी प्रश्न आहेत. प्रत्येक प्रश्नास दोन ग् आहेत. या प्रश्नपत्रिकेतील सर्व प्रश्न सोडविणे अनिवार्य आहे. सदरचे प्र हे या विषयाच्या संपूर्ण अभ्यासक्रमावर आधारित आहेत. 3. परीक्षा सुरू झाल्यावर विद्यार्थ्याला प्रश्नपत्रिका दिली जाईल. सुरुवातीच्या मिनीटांमध्ये आपण सदर प्रश्नपत्रिका उघडून खालील बाबी अवश्य तपास पहाव्यात. (i) प्रश्नपत्रिका उघडण्यासाठी प्रश्नपत्रिकावर लावलेले सील उघडा सील नसलेली किंवा सील उघडलेली प्रश्नपत्रिका स्विकारू न (ii) पहिल्या पृष्ठावर नमूद केल्याप्रमाणे प्रश्नपत्रिकोची एकूण पृ तसेच प्रश्नपत्रिकतेतील एकूण प्रश्नांची संख्या पडताळून पहाव पृष्ठे कमी असलेली/कमी प्रश्न असलेली/प्रश्नांचा चूकीप क्रम असलेली किंवा इतर त्रुटी असलेली सदोष प्रश्नपत्रिका सुरुवातीच्या 5 मिनिटातच पर्यवेक्षकाला परत देऊन दुस प्रश्नपत्रिका मागवून घ्यावी. त्यानंतर प्रश्नपत्रिका बदल् मिळणार नाही तसेच वेळही वाढवून मिळणार नाही याची कृप विद्यार्थ्यांनी नोंद घ्यावी. (iii) वरीलप्रमाणे सर्व पडताळून पहिल्यानंतरच प्रश्नपत्रिका अ.एम.आर. उत्तरपत्रिकेचा नंबर लिहावा. 4. प्रत्येक प्रश्नासाठी (A), (B), (C) आणि (D) अशी चार विकल्प उत्तर दित आहेत. त्यातील योग्य उत्तराचा रकाना खाली दर्शविल्याप्रमाणे ठळकप काळ/निळा करावा. उदा. : जर (C) हे योग्य उत्तर असेल तर.							
 5. 6. 7. 8. 9. 10. 11. 12. 	Your responses to the items are to be indicated in the OMR Sheet given inside the Booklet only. If you mark at any place other than in the circle in the OMR Sheet, it will not be evaluated. Read instructions given inside carefully. Rough Work is to be done at the end of this booklet. If you write your Name, Seat Number, Phone Number or put any mark on any part of the OMR Sheet, except for the space allotted for the relevant entries, which may disclose your identity, or use abusive language or employ any other unfair means, you will render yourself liable to disqualification. You have to return original OMR Sheet to the invigilator at the end of the examination compulsorily and must not carry it with you outside the Examination Hall. You are, however, allowed to carry the Test Booklet and duplicate copy of OMR Sheet on conclusion of examination. Use only Blue/Black Ball point pen. Use of any calculator or log table, etc., is prohibited. There is no negative marking for incorrect answers.	 ते कि कि							

Life Science Paper III

Time Allowed : 2½ Hours][Maximum Marks : 150Note : This paper contains Seventy Five (75) multiple choice questions. Each question carries Two (2) marks. Attempt All questions.						
1.	The genome of which of the following	3.	Binding of epinephrine to a G-			
	virus obeys Chargaff's rule ?		protein-linked receptor causes			
	(A) TMV		adenyl cyclase to produce large			
			amounts of :			
	(B) Mu phage		(A) Inositol triphosphate			
	(C)		(B) cAMP			
	(D) Adenovirus		(C) cGMP			
2.	The DNA protein ratio in chromatin		(D) G Protein			
	in general is :	4.	The limiting factor for productivity			
	(A) 3 : 1		in an aquatic ecosystem is :			
			(A) Temperature			
	(B) 2 : 1		(B) Wind			
	(C) 1 : 2		(C) Light			
	(D) 4 : 1		(D) Water mass movement			

- 5. Which one of the following groups of fishes is considered to be 'living fossil' ?
 - (A) Holocephali
 - (B) Coelocanths
 - (C) Elasmobranchs
 - (D) Dipnoi
- 6. Which animal of the following list is also called as white socks ?
 - (A) Rhinoceros
 - (B) Slender Loris
 - (C) Indian Gaur
 - (D) Pangolin
- 7. In the lakes the top consumer must be :
 - (A) fishes that eat phytoplankton
 - (B) fishes that consume detritus
 - (C) fishes that are piscivores
 - (D) fishes that eat zooplankton
- 8. The neuromasts present in the lateral line organ of fish serve as :
 - (A) chemoreceptor
 - (B) rheoreceptor
 - (C) gustoreceptor
 - $(D) \ alfactoreceptor$

- During conjugation, if the F factor is attached to the bacterial genome, the donor is called as :
 - (A) F+
 - (B) F++
 - (C) Hfr
 - (D) F+ super strain
- 10. Epstein-Barr Virus (EBV) is *not* associated with :
 - (A) Infectious Mononucleosis
 - (B) Kaposis Sarcoma
 - (C) Burkitt's Lymphoma
 - (D) Nasopharyngeal carcinoma
- 11. Which of the following is used to remove excess metal ions from molasses for citric acid production by A. niger ?
 - (A) Potassium ferrocyanate
 - (B) Potassium permanganate
 - (C) Potassium hydroxide
 - (D) Calcium carbonate

- 12. Staphylococcus aureus is one of the important food-borne pathogen responsible for food-poisoning in India. Which of the following statements is most appropriate regarding this pathogen ?
 - (A) S. aureus is Gram negative
 - (B) Incubation time for staphy lococcal food poisoning is very
 short because the organisms
 grow in food and produce heat stalle enterotoxin in food
 - (C) Incubation time for staphylococcal food poisoning is 3 to 4 days
 - (D) S. aureus causes food poisoning because it produces endotoxin

- 13. A living microbe with reduced virulence that is used for vaccination is considered :
 - (A) Dormant
 - (B) Virulent
 - (C) Attenuated
 - (D) Denatured
- 14. The percentage of human peripheral blood T cells bearing a gamma delta T cell receptor is :
 (A) 30-80%
 - (A) 30–80%
 - (B) 1-5%
 - (C) 100%
 - $(D) \ 0\%$

15. The follwing are some of the characteristic features of enzyme inhibitors. Which of the following are true with respect to competitive inhibitors ?

Select the *correct* answer from the options given below it :

- (i) Competitive inhibition can be overcome by a sufficiently high concentration of substrate.
- (ii) A competitive inhibitor diminishes the rate of catalysis by reducing the proportion of enzyme molecules bound to a substrate.
- (*iii*) The competitive inhibitor binds only to the enzyme substrate complex
- (*iv*) Competitive inhibitor can be used as drugs.
- (A) (*i*), (*ii*), (*iii*), (*iv*)
- (B) (*i*), (*ii*), (*iii*)
- (C) (*ii*), (*iii*), (*iv*)
- (D) (*i*), (*ii*), (*iv*)

- 16. Among the following three forms of DNA, which one has deeper major groove ?
 - (A) A-Form
 - (B) B-Form
 - (C) Z-Form
 - $(D) \ Both \ A \ and \ Z \ forms$
- 17. Thylakoid membranes of chloroplasts are rich in :
 - (A) gangliosides and cerebrosides
 - (B) sphingolipids and galactolipids
 - (C) sulfolipids and sphingolipids
 - (D) galactolipids and sulfolipids

- 18. In plants and some microorganisms, a metabolic pathway is operated that allows the conversion of acetyl CoA generated from fat stores into glucose. Which of the following is that pathway ?
 - (A) Citric acid cycle
 - (B) β oxidation
 - (C) Glyoxylate cycle
 - (D) Urea cycle
- 19. Maple syrup disease is caused due to defect in :
 - (A) the degradation of Tyrosine
 - (B) urea synthesis
 - (C) formation of Tyrosine
 - (D) the degradation of branched chain amino acids

- 20. The amount of energy that must be added to break a bond is exactly equal to the amount that is released upon formation of the bond. Which law of thermodynamics among the following is applicable to this situation ?
 - (A) First
 - $(B) \ Second$
 - (C) Third
 - $(D) \ \ Fourth$
- 21. Dam methylase show strand discrimination by :
 - (A) Methylation of Cytosine
 - (B) Methylation of Thymine
 - (C) Methylation of Guanine
 - (D) Methylation of Adenine

- 22. tRNA having an anticodon AAA will interact with one of the following amino acids during protein synthesis.
 - (A) phenylalanine
 - (B) Lysine
 - (C) Glycine
 - (D) Methionine
- 23. Rapid amplification of cDNA ends
 (RACE) is used :
 - (A) to obtain full length sequence of a transcript
 - (B) to detect a gene
 - (C) to detect protein DNA interaction
 - (D) to measure protein RNA interaction

- 24. DNA methylation at CpG island can be detected by :
 - (A) Regular sequencing
 - (B) Bisulphite sequencing
 - (C) Deep sequencing
 - (D) Single nucleotide polymorphism study
- 25. cDNA is used to express mammalian proteins in bacteria rather than genomic DNA. Which one of the following is the best explanation ?
 - (A) It is easier to done cDNA than genomic DNA of comparable size.
 - (B) It is easier to clone RNA than DNA.
 - (C) It is not possible to clone entire coding region of the gene.
 - (D) Most eukaryotic genes have introns that cannot be removed in bacteria.

- 26. The main principle behind Sanger's method of DNA sequencing.
 - (A) use of reverse transcriptase enzyme.
 - (B) use of thymidine dimers
 - (C) use of di-deoxy nucleotide analogues.
 - (D) use of ATP
- 27. Hallmark of Apoptosis is :
 - (A) DNA synthesis
 - (B) Nuclear fragmentation
 - (C) Nuclear division
 - (D) Fat deposition
- 28. Which of the following types of protein could be coded by a tumour-suppressor gene ?
 - (A) A protein that forms part of a growth factor signaling pathway
 - (B) A protein that codes for a DNA repair enzyme
 - (C) A protein that helps prevent apoptosis
 - (D) A protein that controls progression through the cell cycle.

- 29. A virus that kills its host is said to be :
 - (A) Lysogenic
 - (B) Temperate
 - (C) Lytic
 - (D) Lytic or Lysogenic but not temperate
- 30. The green fluorescent protein reporter construct transfection can be used to monitor :
 - (A) Cell size
 - (B) Intracellular gene expression
 - (C) DNA content
 - (D) Cell granularity
- 31. Somatic embryos obtained from cotyledonary explant of a diploid plant will be :
 - (A) Diploid
 - (B) Haploid
 - (C) Triploid
 - (D) Tetraploid

- 32. During the growth of animal cells in culture it is noticed that the cells do not look very healthy. After an investigation it was found that there is a lot of lactic acid in the culture medium. What is possibly *wrong* with this culture ?
 - (A) The cells have too much oxygen
 - (B) Ethyl alcohol is being produced in cxcess
 - (C) Glycolysis is being investigated
 - (D) The cells do not have enough oxygen
- 33. Cystic fibrosis is caused by a mutation in the gene for a transporter protein, cystic fibrosis transmembrane conductance regulator (CFTR). CFTR is an ion channel in the plasma membrane of epithelial cells. Which of the following channels does CFTR belong to ?
 - (A) Sodium channel
 - (B) Potassium channel
 - (C) Chloride channel
 - (D) Acetylcholine receptor channel

- 34. The main difference between active transport and facilitated diffusion is :
 - (A) in active transport the molecules move from areas of low concentration to areas of high concentration without spending energy.
 - (B) in diffusion the molecules move from areas of low concentration to areas of high concentration without spending energy.
 - (C) in active transport energy is consumed to move molecules againt a concentration gradient.
 - (D) although a carrier molecule may not be needed in active transport, diffusion cannot take place without a carrier molecule.

- (A) Green colour
- (B) White colour
- (C) Yellow colour
- (D) Blue colour
- 36. What is the purpose of the fluidics system of a flow cytometer ?
 - (A) To serve as a buffer for cell maintenance.
 - (B) To dilute the concentration for the sample.
 - (C) To deliver sample appropriately to the interrogation point for the measurement.
 - (D) To provide a cushion to prevent cell death following excitation.

- 37. High performance liquid chromatography achieves better purification because of :
 - (A) High retention time
 - (B) High volumetric phase ratio
 - (C) Increased number of partition plates
 - (D) High pressure
- 38. Free radical content in a sample canbe detected using spectroscopictechnique :

(A) ESR

- (B) NMR
- (C) Fluorescence
- (D) UV-visible absorption

- 39. One nanometer is equal to :
 - $(A) \ 0.1 \ \mu m$
 - $(B) \ 0.01 \ \mu m$
 - $(C) \ 0.001 \ \mu m$
 - $(D) \ 0.0001 \ \mu m$
- 40. For-UV CD spectra of proteins give infromation on :
 - (A) Primary structure
 - (B) Secondary structure
 - (C) Tertiary structure
 - (D) Quarternary structure
- 41. Half life of radioactive I¹³¹ is 8 days.
 If you have 200 micromoles of this isotope at one instant, how many micromoles will remain at the end of thirty two days ?
 - (A) 12.5
 - (B) 25
 - (C) 50
 - (D) 100

42. In general, which among the

following groups is most resistant to

ionizing radiations ?

- (A) Thermotolerant bacteria
- (B) Spore-forming bacteria
- (C) Viruses
- (D) Fungi
- 43. Cell proliferation is generally measured by :
 - (A) Thymidine uptake assay
 - (B) Chemotaxis assay
 - (C) ELISA
 - (D) Chromium release assay

44. Most commonly used radioisotopes in biology emit :

(A) α -rays

- (B) β -rays
- (C) γ -rays
- (D) Positrons
- 45. In binomial distribution of a sample where n > 10 and p is ≈ 0.5, the standard deviation is determined by :
 (A) square root of p
 (B) square root of pq
 - (C) square root of *npq*
 - (D) square root of np

- 46. Tautonyms are *not* accepted in :
 - (A) Botanical nomenclature
 - (B) Zoological nomenclature
 - (C) Virus nomenclature
 - (D) Bacteriological nomenclature
- 47. Linnaeus gave a system of nomenclature called as :
 - (A) Binomial
 - (B) Bimodal
 - (C) Biphasic
 - (D) Binary
- 48. The disappearance of tradition division of flowering plants into monocots and dicots is the major outcome of system of classification.
 - (A) Bentham and Hooker's
 - (B) APG
 - (C) Engler and Prantl's
 - (D) Armen Takhtajan's

- 49. Trypsin was used to digest a protein,before its amino acid sequencing.The cleavage occurs at :
 - (A) Carboxyl side of lysine and arginine residues
 - (B) Carboxyl side of methionine residues
 - (C) Carboxyl side of aspartate and glutamate residues
 - (D) Carboxyl side of PhenylalanineIsoleucine and Valine residues
- 50. The structure which produces male gametes in prothallus are :
 - (A) Gametophytes
 - (B) Sporophytes
 - (C) Antheridia
 - (D) Archegonia

- 51. Presence of elators in the sporangium is a characteristic feature of
 - $(A) \ Equisetum$
 - (B) Ceratopteris
 - (C) Marsilea
 - (D) Actinopteris
- 52. In mature coconuts the liquid endosperm becomes milky and
 - (A) it does not contain free nuclei or cells
 - (B) it contains free nuclei only
 - (C) it contains cells only
 - (D) it contains free nuclei or cells.
- 53. In family *Rutaceae*, fruits are mainly :
 - (A) Schizocarp
 - (B) Capsule
 - (C) Hesperidium
 - (D) Siliqua

- 54. Regeneration of plants avoiding fertilization is known as :
 - (A) Apogamy
 - (B) Apospory
 - (C) Diplospory
 - (D) Syngamy
- 55. A pentacarpellary, pentalocular ovary has 2 ovules per locule. It develops into parthenocarpic fruit. The number of seeds in the fruit will be :
 - (A) 20
 - $(B) \ 10$
 - (C) 40
 - $(D) \ 00$
- 56. Common bread wheat *Triticum aestivum* is :
 - (A) Diploid
 - (B) Tetraploid
 - (C) Hexaploid
 - (D) Octoploid

- 57. In plants stomatal closure is induced by :
 - (A) High K^+ concentration
 - (B) Low CO_2 concentration
 - (C) Low pH
 - (D) ABA
- 58. The major ureide compounds that are used to transport nitrogen from sites where their deamination will provide nitrogen for amino acid and nucleoside synthesis are
 - (A) oxaloacetic acid, tyrosine and allantoin.
 - (B) allantoic acid, allantoin and citrulline.
 - (C) Citrulline, pyruvic acid and glutamate
 - (D) allantoic acid, methionine and oxaloacetic acid

59.	In which of the following	61.	A flash of light during the
	photosynthetic pigments, the central		dark period induces flowering in a
	magnesium has been replaced by		long-day plant and the effect is
	two hydrogens ?		reversed by a flash of light.
	(A) phycocyanin		(A) red, far-red
			(B) far-red, red
	(B) chlorophyll-b		(C) blue, red
	(C) phaeophytin		(D) red, blue
	(D) chlorophyll-a	62.	Which of the following is
60.	Stomata remains open for CO_2		electromagnetic radiations that are
	absorption in CAM plants during :		used in mutation breeding ?
	(A) Night time		(A) γ-rays
	(B) Early morning		(B) α-rays
	(C) Day time		(C) β-rays
	(D) Noon		(D) UV-rays

- 63. Typically the insect leg consists of six segments :
 - (i) coxa,
 - (ii) femur,
 - (iii) pretarsus,
 - (iv) tarsus,
 - (v) tibia, and
 - (vi) trochanter.

Their *correct* proximal to distal sequence is :

- (A) $(ii) \rightarrow (vi) \rightarrow (i) \rightarrow (v) \rightarrow (iii) \rightarrow (iv)$
- (B) $(ii) \rightarrow (ii) \rightarrow (vi) \rightarrow (iii) \rightarrow (iv) \rightarrow (v)$
- (C) $(i) \rightarrow (vi) \rightarrow (ii) \rightarrow (v) \rightarrow (iv) \rightarrow (iii)$
- (D) $(i) \rightarrow (ii) \rightarrow (iii) \rightarrow (iv) \rightarrow (v) \rightarrow (vi)$
- 64. The coelom of animals belonging to the phyla develops by the process of schizocoele.
 - (A) Porifera, coelenterata,Platyhelminthes
 - (B) Annelida, Arthropoda, Mollusca
 - (C) Pogonophora, Nematoda, Chaetognatha
 - (D) Echinodermata, Chordata

- 65. Urochordates show resemblance to invertebrates like Molluscs *except* in :
 - (A) Presence of cartilage
 - (B) Presence of pericardium and pancreatic tissue
 - (C) Presence of radula
 - (D) Ammonia as excretory product
- 66. Which of the following fishes is *not*a dipnoan ?
 - $(A) \ \ Neoceratodus$
 - (B) Notopterus
 - (C) Lepidosiren
 - (D) Protopterus
- 67. is the outermost connective cover of a skeletal muscle.
 - (A) Myomysium
 - (B) Endomysium
 - (C) Perimysium
 - (D) Epimysium

- 68. The arteries are thicker-walled as compared to that of the veins. This helps in :
 - (A) increased force of contraction of the veins as compared to by the arteries.
 - (B) the arteries can exert more force of contraction than that of the veins.
 - (C) O_2 diffusion can take place better in the arteries than in the veins.
 - (D) CO₂ diffusion can take place better in the veins than in the arteries.
- 69. In birds and reptiles the primordial germ cells originate in the :
 - (A) Epiblast
 - (B) Hypoblast
 - (C) Germinal crescent
 - (D) Embryonic allantois

- 70. Which of the following are responsible for prevention of polyspermy ?
 - (A) Change in the mambranepotential of egg plasmamembrane
 - (B) Cortical granule exocytosis/ cortical reaction
 - (C) Both (A) and (B)
 - (D) Molecular changes in the zona pellucida proteins
- 71. Damage of one of the following structure(s) resulted in loss of a Circadian rhythm. The structure is most likely to be :
 - (A) Liver
 - (B) Eyes
 - (C) Pituitary
 - (D) Suprachiasmatic nucleus.

- 72. When birds such as great tit are removed from their territory :
 - (A) they tend to be replaced by the same number of birds.
 - (B) the territories are left vacant
 - (C) they are replaced by the local birds to the exclusion of new members
 - (D) They are replaced by a greater number of birds
- 73. To overcome intracellularLeishmania infection host shouldpreferably mount a :
 - (A) TH 1 response
 - (B) TH 2 response
 - (C) Mucosal immune response
 - (D) T cell-independent response

- 74. Which one of the following insects is used for the biological control of the weed *Lantana camara* ?
 - (A) Shoot fly
 - (B) Aphid
 - (C) Lantana bug
 - (D) Lantana weevil
- 75. In order to cover one hectare of an agricultural land, which type of sprayers among the following will require the lowest volume of spray solution ?
 - (A) hand sprayer
 - $(B) \ \ foot \ \ sprayer$
 - (C) knaspack sprayer
 - (D) power sprayer

ROUGH WORK