Test Booklet No.

M

प्रश्नपत्रिका क्र. Paper-III ENVIRONMENTAL SCIENCE

ENVIRONMENTAL SCIENCE						
Signature and Name of Invigilator	Seat No.					
1. (Signature)	(In figures as in Admit Card)					
(Name)	Seat No.					
2. (Signature)	(In words)					
(Name)	OMR Sheet No.					
AUG - 31315	(To be filled by the Candidate)					
Time Allowed: 2½ Hours]	[Maximum Marks: 150					
Number of Pages in this Booklet: 20	Number of Questions in this Booklet: 75					
Instructions for the Candidates Write your Seat No. and OMR Sheet No. in the space provided on the top of this page. This paper consists of 75 objective type questions. Each question will carry two marks. All questions of Paper-III will be compulsory, covering entire syllabus (including all electives, without options). At the commencement of examination, the question booklet will be given to the student. In the first 5 minutes, you are requested to open the booklet and compulsorily examine it as follows: (i) To have access to the Question Booklet, tear off the paper seal on the edge of this cover page. Do not accept a booklet without sticker-seal or open booklet. (ii) Tally the number of pages and number of questions in the booklet with the information printed on the cover page. Faulty booklets due to missing pages/questions or questions repeated or not in serial order or any other discrepancy should not be accepted and correct booklet should be obtained from the invigilator within the period of 5 minutes. Afterwards, neither the Question Booklet will be replaced nor any extra time will be given. The same may please be noted. (iii) After this verification is over, the OMR Sheet Number should be entered on this Test Booklet. Each question has four alternative responses marked (A), (B), (C) and (D). You have to darken the circle as indicated below on the correct response against each item. Example: where (C) is the correct response.	 सदर प्रश्नपत्रिकत 75 बहुपयाया प्रश्न आहत. प्रत्यक प्रश्नास दान गुण आहेत. या प्रश्नपत्रिकेतील सर्व प्रश्न सोडिवणे अनिवार्य आहे. सदरचे प्रश्न हे या विषयाच्या संपूर्ण अभ्यासक्रमावर आधारित आहेत. परीक्षा सुरू झाल्यावर विद्यार्थ्यांला प्रश्नपित्रका दिली जाईल. सुरुवातीच्या 5 मिनीटांमध्ये आपण सदर प्रश्नपित्रका उघडून खालील बाबी अवश्य तपासून पहाव्यात. प्रश्नपित्रका उघडण्यासाठी प्रश्नपित्रकेवर लावलेले सील उघडांवे. सील नसलेली किंवा सील उघडलेली प्रश्नपित्रका स्विकारू नये. पहिल्या पृष्ठावर नमूद केल्याप्रमाणे प्रश्नपित्रका स्विकारू नये. पहिल्या पृष्ठावर नमूद केल्याप्रमाणे प्रश्नपित्रका पित्रण पृष्ठण पृष्ठे तसेच प्रश्नपित्रकेतील एकूण प्रश्नांची संख्या पडताळून पहावी. पृष्ठे कमी असलेली किंवा इतर तुटी असलेली /प्रश्नांचा चूकीचा क्रम असलेली किंवा इतर तुटी असलेली /प्रश्नांचा चूकीचा सुरुवातीच्या 5 मिनिटातच पर्यवेक्षकाला परत देऊन दुसरी प्रश्नपित्रका मागवून घ्यावी. त्यानंतर प्रश्नपित्रका बदलून मिळणार नाही तसेच वेळही वाढवून मिळणार नाही याची कृपया विद्यार्थांनी नोंद घ्यावी. वरीलप्रमाणे सर्व पडताळून पहिल्यानंतरच प्रश्नपित्रकेवर ओ.एम.आर. उत्तरपित्रकेचा नंबर लिहावा. प्रत्येक प्रश्नासाठी (A), (B), (C) आणि (D) अशी चार विकल्प उत्तरे दिली आहेत. त्यातील योग्य उत्तराचा रकाना खाली दर्शविल्याप्रमाणे ठळकपणे काळ/निळा करावा. उत्तर (C) हे योग्य उत्तर असेल तर. 					
5. Your responses to the items are to be indicated in the OMR Sheet given inside the Booklet only. If you mark at any place other than in the circle in the OMR Sheet, it will not be evaluated.						
 Read instructions given inside carefully. Rough Work is to be done at the end of this booklet. 	इतर ठिकाणी लिहीलेली उत्तरे तपासली जाणार नाहीत.					
8. If you write your Name, Seat Number, Phone Number or put	6. आत दिलेल्या सूचना काळजीपूर्वक वाचाव्यात.					
any mark on any part of the OMR Sheet, except for the space						
allotted for the relevant entries, which may disclose your identity, or use abusive language or employ any other unfair						
means, you will render yourself liable to disqualification.	केलेली आढळून आल्यास अथवा असभ्य भाषेचा वापर किंवा इतर गैरमार्गीचा					
9. You have to return original OMR Sheet to the invigilator at the						
end of the examination compulsorily and must not carry it with you outside the Examination Hall. You are, however, allowed						
to carry the Test Booklet and duplicate copy of OMR Sheet on						
conclusion of examination. 10. Use only Blue/Black Ball point pen.	10. फक्त निळ्या किंवा काळ्या बॉल पेनचाच वापर करावा.					
11. Use of any calculator or log table, etc., is prohibited.	11. कॅलूक्युलेटर किंवा लॉग टेबल वापर्ण्यास परवानूगी नाही.					
12. There is no negative marking for incorrect answers.	12. चुकीच्या उत्तरासाठी गुण कपात केली जाणार नाही.					

11. 12.

Environmental Science Paper III

Time Allowed: 2½ Hours] [Maximum Marks: 150

Note: This Paper contains Seventy Five (75) multiple choice questions, each question carrying Two (2) marks. Attempt All questions.

- 1. Ozone layer is found in the:
 - (A) Ionosphere
 - (B) Troposphere
 - (C) Mesosphere
 - (D) Stratosphere
- 2. The value of environmental lapse rate is:
 - (A) ~10°C per km
 - (B) ~6°C per km
 - (C) ~1°C per km
 - (D) ~4°C per km

- 3. The unit of pressure 'hPa' commonly used in meteorology is equal to:
 - (A) 1 dyne/cm^2
 - (B) 1 $dyne/m^2$
 - (C) 100 dyne/m^2
 - (D) 1000 dyne/cm^2
- 4. Tropopause is at its highest level at:
 - (A) Poles
 - (B) Equator
 - (C) Subtropics
 - (D) Mid-latitude

5.	How many agreements are there in	7.	The oldest macrofossils of plants
J.	now many agreements are mere in		and animals are only years
	Agenda 21 ?		old and if these were the remains of
			the original living organisms, the
	(A) 2		planet would have been lifeless for
	(B) 5		almost years.
			(A) 0.6-0.7; 4.0 billion
	(C) 6		(B) 0.5-0.6; 3.0 billion
	(D) 7		(C) 0.4-0.5; 2.0 billion
			(D) 0.3-0.4; 1.0 billion
6.	Darwin's finches are a good	8.	Which of the following air
	example of: (A) Convergent evolution (B) Industrial menalism (C) Connecting link		pollutant(s) is (are) mainly
			responsible for poor air quality
			at most of the Indian sites?
			(A) Carbon soot
			(B) Atmospheric dust
			(C) Carbon soot + atmospheric
			dust
	(D) Adaptive radiation		(D) CO ₂

Which of the following is a must for 11. The most preferred technique for the 9. rice sheath blight pathogen, analysis of metals is: Pellicularia sasakii? (A) Ion chromatography (A) Polyoxin D (B) Atomic absorption spectroscopy (B) Polyoxin B (C) Mass spectrometry (C) Polyoxin L (D) Titrimetry (D) Polyoxin 12. A radioactive sample shows an 10. Acetylene reduction technique is an activity of 40,000 cpm. What will be important assay to measure: its activity after four half lives? (A) Rate of phosphate solubilization (A) 10,000 (B) Rate of Nitrogen fixation (B) 4,000 (C) Rate of Carbon fixation (C) 2,500

(D) Rate of photosynthesis

5 [P.T.O.

(D) 2,000

- 13. As compared to the aridified regions of the globe, rain water in India has an excess of:
 - (A) Chloride
 - (B) Calcium
 - (C) Sodium
 - (D) Methyl sulphonic acid
- 14. Which of the following is *correct* order with respect to solubility product?
 - (A) AgI < AgBr < AgCl
 - (B) AgI > AgBr > AgCl
 - (C) AgI < AgCl < AgBr
 - (D) AgI > AgCl > AgBr

- 15. Which of the following consists of only one element ?
 - (A) Sand
 - (B) Marble
 - (C) Glass
 - (D) Diamond
- 16. Carrying capacity is:
 - (A) prevention of population explosion
 - (B) the maximum number of organisms that a habitat can sustain
 - (C) the limiting factors existing in an ecosystem
 - (D) the upper limit of J curve

- 17. Which one of the following is an abiotic component of the ecosystem?
 - (A) Bacteria
 - (B) Plants
 - (C) Fungi
 - (D) Humus
- 18. The total biomass of any organism is determined by the nutrients present in the minimum concentration in relation to the requirements of that organism, known as:
 - (A) Liebig's law of the minimum
 - (B) Shelford's law of tolerance
 - (C) Liebig's law of tolerance
 - (D) Shelford's law of minimum

- 19. The source of energy for the green plants in any ecosystem is:
 - (A) Glucose
 - (B) Sunlight
 - (C) ATP
 - (D) Protein
- 20. The largest number of species on earth belongs to:
 - (A) Fungi
 - (B) Angiosperms
 - (C) Insects
 - (D) Crustaceans
- 21. The commonly used medium for submerged bacterial fermentation at commercial scale is:
 - (A) Molasses
 - (B) Liver extract
 - (C) Germinated seed
 - (D) Peptone

- 22. An ecosystem is a complex of interacting systems of:
 - (A) Individuals
 - (B) Populations
 - (C) Communities and their soils
 - (D) Biotic and abiotic components
- 23. GIS and remote sensing are very useful to analyse:
 - (A) Quality of life
 - (B) Spatio-temporal data
 - (C) Behavioral pattern of flora and fauna
 - (D) Sound-economic data
- 24. The earth's atmosphere is divided into layers based on the vertical profile of :
 - (A) Air pressure
 - (B) Air temperature
 - (C) Air density
 - (D) Wind speed and direction

- - (A) Venus
 - (B) Jupiter
 - (C) Earth
 - (D) Mars
- 26. Which one of the following is an example for assessing Land quality?
 - (A) Fauna
 - (B) Sulfur
 - (C) Slope
 - (D) Community
- 27. Vegetation cover has maximum reflectance level in which one of the following electromagnetic radiation spectrum?
 - (A) Middle infrared
 - (B) Visible
 - (C) Near infrared
 - (D) Ultraviolet

- 28. What are the major weather related hazards during winter?
 - (A) Floods
 - (B) Fog and coldwave
 - (C) Tropical cyclones
 - (D) Dust storms
- 29. Salinity of sea water depends upon evaporation and precipitation difference. Thus it is highest near :
 - (A) Poles
 - (B) Equator
 - (C) Subtropics
 - (D) Mid-latitudes
- 30. GIS is an efficient tool for:
 - (A) analysing spatial and aspatial data
 - (B) analysing attribute data only
 - (C) manipulating behaviour of flora and fauna
 - (D) assessing ecological pyramids

- 31. CO_2 emissions from the burning of fossil fuel affect largely:
 - (A) Sulphur cycle
 - (B) Nitrogen cycle
 - (C) Carbon cycle
 - (D) Water cycle
- 32. The rich source of energy that never causes atmospheric pollution is:
 - (A) Nuclear energy
 - (B) Solar energy
 - (C) Fossil fuel
 - (D) Biomass energy
- 33. A photovoltaic cell is *not* limited in efficiency by :
 - (A) top surface emissivity
 - (B) quantum efficiency
 - (C) excess photon energy
 - (D) top surface reflection

- 34. Gasohol used to run the vehicles is a mixture of:
 - (A) Petrol and Diesel
 - (B) Petrol and Methane
 - (C) Petrol and Alcohol
 - (D) Petrol and Kerosene
- 35. Greenhouse gases usually comprise:
 - (A) CO_2 only
 - (B) CH₄ only
 - (C) CH_4 , CO_2 mainly and NOx slightly
 - (D) CH_4 and CO_2 only
- 36. The optimum range of wind speed for generating energy with windmills is:
 - (A) 5 to 30 km/hr
 - (B) 5 to 20 km/sec
 - (C) 0 to 10 km/sec
 - (D) 0 to 20 km/hr

- 37. Radiation from sun is due to:
 - (A) Nuclear fission reactions
 - (B) Nuclear fusion reactions
 - (C) Physical melting
 - (D) Atomic collision
- 38. In a typical sewage treatment plant the following is the flow diagram of the plant:
 - (A) Collection \rightarrow Pre-treatment \rightarrow Secondary Treatment \rightarrow Disinfection
 - (B) Collection \rightarrow Pre-treatment \rightarrow Primary Treatment \rightarrow Disinfection
 - (C) Collection \rightarrow Pre-treatment \rightarrow Primary Treatment \rightarrow Secondary Treatment \rightarrow Disinfection
 - (D) Collection \rightarrow Primary

 Treatment \rightarrow Disinfection

- 39. The noise level measurements are often expressed in unit of dB(A).

 What does 'A' refer to ?
 - (A) frequency weighting
 - (B) amplitude weighting
 - (C) phase weighting
 - (D) category of noise zone
- 40. Indicator used in hardness measurement of water is:
 - (A) Methyl orange
 - (B) Eriochrome black
 - (C) Phenolphthalein
 - (D) Potassium chromate

- 41. The mechanism of biomagnification accumulation of intracellular uptake and storage by microorganisms is mainly due to:
 - (A) Active cation transport system
 - (B) Passive cation transport system
 - (C) Active anion transport system
 - (D) Passive anion transport system
- 42. Air pollutants are toxic to plants in the following ascending order of severeness:
 - (A) SO_2 , NO_2 , HF, CO
 - (B) NO_2 , HF, CO, SO_2
 - (C) CO, NO_2 , SO_2 , HF
 - (D) SO_2 , NO_2 , CO, HF

43.	One of the precursors of tropospheric	46.	UASB is an advance level of
	ozone is:		wastewater treatment. UASB stands
	(A) SO_2		for: (A) Urban Area Sewage Board
	(B) NO ₂		(B) Upflow Anaerobic Sludge
	(C) N ₂ O		Blanket
	(D) H ₂ S		(C) Upflow Aerobic Sludge Blanket
44.	Fraction of atmospheric sulphur		(D) Urban Area Sludge Board
	contributed by the anthropogenic	47.	Lichens indicate pollution by:
	sources is:		(A) Ozone
	(A) ~10%		(B) SO_2
	(B) ~25%		(C) NO ₂
	(C) ~75%		(D) CO
	(D) ~99%	48.	"The pollutants emitted to the atmosphere are uniformly mixed in
45.	After N ₂ and O ₂ , the third most		a volume of air." Which of the
	abundant gas found in the air is:		following models is based on this
	(A) CO ₂		assumption ?
	2		(A) Fugitive dust Model
	(B) Ar		(B) Vossler Model
	(C) He		(C) Box Model

(D) Screen Model

(D) CH_4

- 49. The expanded Environmental

 Impact Assessment for policies

 programs and plan is:
 - (A) Rapid Environmental Impact
 Assessment
 - (B) Short-run Environmental

 Impact Assessment
 - (C) Special Environmental Impact
 Assessment
 - (D) Strategic Environmental

 Impact Assessment
- 50. Which of the following forms of land degradation is dominently prevalent in India?
 - (A) Desertification
 - (B) Soil erosion
 - (C) Landslides
 - (D) Soil submergence

- 51. Environmental Impact Assessment for various developmental project is carried out by a team of experts.

 Each expert member associated for EIA requires accrediation from:
 - (A) NEERI
 - (B) NABET/QCI
 - (C) CPCB
 - (D) SPCB
- 52. The secondary and tertiary impacts of developmental action can be addressed by:
 - (A) Simple matrix
 - (B) Stepped or cross impact matrix
 - (C) Checklists
 - (D) Overlay maps

- 53. Problem of soil salinity along coastal belts is often mitigated by treating the land with:
 - (A) Urea
 - (B) Organic compost
 - (C) Superphosphate
 - (D) Calcium sulphate
- 54. Interpretation of the anticipated impacts of any developmental project does *not* consider:
 - (A) Individual species
 - (B) Characteristics of habitat
 - (C) Characteristics of ecosystem
 - (D) Monetary cost of project
- 55. Natural decomposition of solid waste is a:
 - (A) Biodegradable process
 - (B) Pyrolysis
 - (C) Carbonization
 - (D) Corrosion

- 56. Which of the following is *not* a characteristic of hazardous waste?
 - (A) Toxicity
 - (B) Corrosivity
 - (C) Ignitability
 - (D) Porosity
- 57. The emissions of air pollutants from automobiles were initially regulated under:
 - (A) The Air (Protection and Control of Pollution) Act, 1981
 - (B) The Environment (Protection)

 Act, 1986
 - (C) The Water (Protection and Control of Pollution) Act, 1974
 - (D) Forest (Conservation) Act, 1980

- 58. Which of the following is first Act passed by Indian Government in confirmation to the United Nation's Conference?
 - (A) The Water (Prevention and Control of Pollution) Act, 1974
 - (B) The Environment (Protection)
 Act, 1986
 - (C) The Air (Prevention and Control of Pollution) Act, 1981
 - (D) The Indian Forest Act, 1927
- 59. All the members of a State Pollution

 Control Board except the membersecretary can hold the office for a
 term of:
 - (A) Six years
 - (B) Three years
 - (C) Four years
 - (D) Five years

- 60. In which year the Forest (Conservation) Act was passed?
 - (A) 1974
 - (B) 1981
 - (C) 1980
 - (D) 1986
- 61. In order to cover the areas not covered by other laws regarding environmental pollution in the wake of Bhopal Tragedy, the notable legislation passed in India is:
 - (A) The Wildlife (Protection) Act, 1972
 - (B) The Environmental (Protection)

 Act, 1986
 - (C) The Water (Prevention and Control of Pollution) Act, 1974
 - (D) The Air (Prevention and Control of Pollution) Act, 1981

- 62. A population grows exponentially with the growth rate of 2% per year. After how many years it will double?
 - (A) ~ 25 years
 - (B) ~ 70 years
 - (C) ~35 years
 - (D) ~30 years
- 63. A Log-Normal distribution has a mean of 5 and standard deviation of 2. Its ~67% of the area under the curve is between the values of the variable lying between:
 - (A) 3 and 7
 - (B) 2.5 and 10
 - (C) 1.25 and 20
 - (D) 1 and 9

- 64. The normal distribution is also expressed in terms of normalized parameter $z=\frac{x-\mu}{\sqrt{2}\sigma}$; where symbols have their usual meaning. The standard deviation of such a distribution, $\sigma(z)$ is :
 - (A) $\sqrt{2}$
 - (B) 0.5
 - (C) 1.0
 - (D) 0
- 65. The eigenvalues of the matrix

$$\begin{bmatrix} 2 & 1 \\ 1 & 2 \end{bmatrix}$$

are:

- (A) 1 and 0
- (B) 2 and 0
- (C) 1 and 2
- (D) 1 and 3

66. In simple regression equation:

$$Y = \alpha + \beta x + \in;$$

the expectation value of the random error term $\leq >$ is:

- (A) 0
- (B) σ ; σ is standard deviation
- (C) σ^2
- (D) $\sqrt{2} \sigma$
- 67. In a multiple regression analysis, the explained variance per degree of freedom is found to be 100 and the unexplained variance per degree of freedom is 20. The value of F-statistic will be:
 - (A) 5
 - (B) 0.2
 - (C) 80
 - (D) 120

- 68. The most abundant hydrocarbon in natural gas is:
 - (A) Methane
 - (B) Ethane
 - (C) Propane
 - (D) Butane
- 69. 'Ozone hole' over Antarctica is seen during:
 - (A) September—November
 - (B) July—August
 - (C) May—June
 - (D) December—January
- 70. Carbon intensity of a country is a measure of:
 - (A) Carbon dioxide emissions per unit GDP
 - (B) Carbon dioxide emissions per unit electrical energy produced
 - (C) Carbon dioxide emissions per unit area per year
 - (D) Carbon dioxide emissions produced per person

71.	Global warming potential (relative to CO ₂) of N ₂ O over a time horizon of 20 years is: (A) 100 (B) 280 (C) 170	74.	Ozone concentration is measured in Dobson unit. One Dobson unit represents a layer of ozone around the earth which at standard atmospheric pressure?
72.	(D) 25 Grazing cattle suffer mottling of		(A) 1 mm thick (B) .1 mm thick
	teeth due to emission of		(C) .3 mm thick
	(B) Fluorides(C) Ammonia	75.	(D) 0.01 mm thick Soil salinity is caused mainly due to excess concentration of
73.	(D) Benzene One of the following waste is <i>not</i> classified as hazardous waste:		in black cotton soil. (A) Sodium
	(A) Electronic waste(B) Chemical waste(C) Biomedical waste		(B) Calcium (C) Magnesium

(D) Kitchen waste

(D) Potassium

ROUGH WORK

ROUGH WORK