

Test Booklet Code & Serial No.

प्रश्नपत्रिका कोड व क्रमांक

Paper-II

LIFE SCIENCE

C

Signature and Name of Invigilator

Seat No.

--	--	--	--	--	--	--	--

1. (Signature)

(In figures as in Admit Card)

(Name)

Seat No.

.....

2. (Signature)

(In words)

(Name)

OMR Sheet No.

--	--	--	--	--	--	--	--

(To be filled by the Candidate)

MAR - 34223

Time Allowed : 2 Hours]

[Maximum Marks : 200

Number of Pages in this Booklet : 20

Number of Questions in this Booklet : 100

Instructions for the Candidates

- Write your Seat No. and OMR Sheet No. in the space provided on the top of this page.
- This paper consists of **100** objective type questions. Each question will carry *two* marks. *All* questions of Paper II will be compulsory. At the commencement of examination, the question booklet will be given to the student. In the first 5 minutes, you are requested to open the booklet and compulsorily examine it as follows :
 - To have access to the Question Booklet, tear off the paper seal on the edge of this cover page. Do not accept a booklet without sticker-seal or open booklet.
 - Tally the number of pages and number of questions in the booklet with the information printed on the cover page. Faulty booklets due to missing pages/questions or questions repeated or not in serial order or any other discrepancy should not be accepted and correct booklet should be obtained from the invigilator within the period of 5 minutes. Afterwards, neither the Question Booklet will be replaced nor any extra time will be given. The same may please be noted.
 - After this verification is over, the OMR Sheet Number should be entered on this Test Booklet.
- Each question has four alternative responses marked (A), (B), (C) and (D). You have to darken the circle as indicated below on the correct response against each item.
Example : where (C) is the correct response.

(A)	(B)	(C)	(D)
-----	-----	-----	-----
- Your responses to the items are to be indicated in the **OMR Sheet given inside the Booklet only**. If you mark at any place other than in the circle in the OMR Sheet, it will not be evaluated.
- Read instructions given inside carefully.
- Rough Work is to be done at the end of this booklet.
- If you write your Name, Seat Number, Phone Number or put any mark on any part of the OMR Sheet, except for the space allotted for the relevant entries, which may disclose your identity, or use abusive language or employ any other unfair means, you will render yourself liable to disqualification.
- You have to return original OMR Sheet to the invigilator at the end of the examination compulsorily and must not carry it with you outside the Examination Hall. You are, however, allowed to carry the Test Booklet and duplicate copy of OMR Sheet on conclusion of examination.
- Use only Blue/Black Ball point pen.
- Use of any calculator or log table, etc., is prohibited.
- There is no negative marking for incorrect answers.

विद्यार्थ्यांसाठी महत्वाच्या सूचना

- परीक्षार्थीनी आपला आसन क्रमांक या पृष्ठावरील वरच्या कोपऱ्यात लिहावा. तसेच आपणांस दिलेल्या उत्तरपत्रिकेचा क्रमांक त्याखाली लिहावा.
- सदर प्रश्नपत्रिकेत **100** बहुपर्यायी प्रश्न आहेत. प्रत्येक प्रश्नास **दोन** गुण आहेत. या प्रश्नपत्रिकेतील **सर्व** प्रश्न सोडविणे अनिवार्य आहे.
- परीक्षा सुरू झाल्यावर विद्यार्थ्याला प्रश्नपत्रिका दिली जाईल. सुरुवातीच्या 5 मिनिटांमध्ये आपण सदर प्रश्नपत्रिका उघडून खालील बाबी अवश्य तपासून घ्याव्यात.
 - प्रश्नपत्रिका उघडण्यासाठी प्रश्नपत्रिकेवर लावलेले सील उघडावे. सील नसलेली किंवा सील उघडलेली प्रश्नपत्रिका स्वीकारू नये.
 - पहिल्या पृष्ठावर नमूद केल्याप्रमाणे प्रश्नपत्रिकेची एकूण पृष्ठे तसेच प्रश्नपत्रिकेतील एकूण प्रश्नांची संख्या पडताळून घ्यावी. पृष्ठे कमी असलेली/कमी प्रश्न असलेली/प्रश्नांचा चुकीचा क्रम असलेली किंवा इतर त्रुटी असलेली सदोष प्रश्नपत्रिका सुरुवातीच्या 5 मिनिटांतच पर्यवेक्षकाला परत देऊन दुसरी प्रश्नपत्रिका मागवून घ्यावी. त्यानंतर प्रश्नपत्रिका बदलून मिळणार नाही तसेच वेळही वाढवून मिळणार नाही याची कृपया विद्यार्थ्यांनी नोंद घ्यावी.
 - वरीलप्रमाणे सर्व पडताळून पाहिल्यानंतरच प्रश्नपत्रिकेवर ओ.एम.आर. उत्तरपत्रिकेचा नंबर लिहावा.
- प्रत्येक प्रश्नासाठी (A), (B), (C) आणि (D) अशी चार विकल्प उत्तरे दिली आहेत. त्यातील योग्य उत्तराचा रकाना खाली दर्शविल्याप्रमाणे ठळकपणे काळा/निळा करावा.
उदा. : जर (C) हे योग्य उत्तर असेल तर.

(A)	(B)	(C)	(D)
-----	-----	-----	-----
- या प्रश्नपत्रिकेतील प्रश्नांची उत्तरे ओ.एम.आर. उत्तरपत्रिकेतच दर्शवावीत. इतर ठिकाणी लिहिलेली उत्तरे तपासली जाणार नाहीत.
- आत दिलेल्या सूचना काळजीपूर्वक वाचाव्यात.
- प्रश्नपत्रिकेच्या शेवटी जोडलेल्या कोऱ्या पानावरच कच्चे काम करावे.
- जर आपण ओ.एम.आर. वर नमूद केलेल्या ठिकाणाव्यतिरिक्त इतर कोठेही नाव, आसन क्रमांक, फोन नंबर किंवा ओळख पटेल अशी कोणतीही खूण केलेली आढळून आल्यास अथवा असभ्य भाषेचा वापर किंवा इतर गैरमार्गांचा अवलंब केल्यास विद्यार्थ्याला परीक्षेस अपात्र ठरविण्यात येईल.
- परीक्षा संपल्यानंतर विद्यार्थ्याने मूळ ओ.एम.आर. उत्तरपत्रिका पर्यवेक्षकांकडे परत करणे आवश्यक आहे. तथापि, प्रश्नपत्रिका व ओ.एम.आर. उत्तरपत्रिकेची द्वितीय प्रत आपल्याबरोबर नेण्यास विद्यार्थ्यांना परवानगी आहे.
- फक्त निळ्या किंवा काळ्या बॉल पेनचाच वापर करावा.
- कॅलक्युलेटर किंवा लॉग टेबल वापरण्यास परवानगी नाही.
- चुकीच्या उत्तरासाठी गुण कपात केली जाणार नाही.

MAR - 34223/II—C

Life Science Paper II

Time Allowed : 120 Minutes]

[Maximum Marks : 200

Note : This Paper contains **Hundred (100)** multiple choice questions. Each question carrying **Two (2)** marks. Attempt *All* questions.

- | | |
|--|--|
| <p>1. How do viruses gain entry to a host cell ?</p> <p>(A) By dissolving a piece of the host cell membrane</p> <p>(B) By binding to an antibody site on the host cells</p> <p>(C) By diffusion through the cell membrane</p> <p>(D) By binding to a receptor site on the host cell</p> <p>2. The primary mode of transmission for spread of polio virus is :</p> <p>(A) Ingestion (Oral-fecal)</p> <p>(B) Respiratory droplets</p> <p>(C) Sexual transmission</p> <p>(D) Blood transfusion</p> <p>3. The process of using bacteria for extraction of valuable metals in mining industry is known as :</p> <p>(A) Biodegradation</p> <p>(B) Bioleaching</p> <p>(C) Biosorption</p> <p>(D) Bioremediation</p> | <p>4. The only poisonous lizard found in South America is :</p> <p>(A) Calotes</p> <p>(B) Hemidactylus</p> <p>(C) Heloderma</p> <p>(D) Mabuya</p> <p>5. Which of the following is <i>not</i> a developmental stage in the life cycle of <i>Fasciola hepatica</i> ?</p> <p>(A) Cercaria</p> <p>(B) Cystecircus</p> <p>(C) Metacercaria</p> <p>(D) Sporocysts</p> <p>6. In an ecosystem.....requires maximum energy.</p> <p>(A) Primary producer</p> <p>(B) Primary consumer</p> <p>(C) Secondary consumer</p> <p>(D) Decomposer</p> |
|--|--|

- | | |
|--|---|
| <p>7. Which one of the following 'biomes' does not have fauna & flora characteristic of tropical rain forests ?
(A) South America
(B) South Central Africa
(C) Central Africa
(D) Australia</p> <p>8. In a pond ecosystem, the bottom area where production is less than respiration is called as :
(A) Limnetic zone
(B) Benthic zone
(C) Profundal zone
(D) Intertidal zone</p> <p>9. "Each creature on earth was separately created" is :
(A) a belief and does not fall within the scope of experimental science
(B) best described as a natural law
(C) a testable hypothesis
(D) a theory</p> <p>10. RUBISCO is encoded by :
(A) Mitochondrial DNA
(B) Plastid DNA and mitochondrial DNA
(C) Mitochondrial DNA and Chloroplast DNA
(D) Nuclear DNA and Chloroplast DNA</p> | <p>11. The following are the characteristics of <i>k</i>-selected animals except :
(A) Energy spent per offspring is high
(B) A few offsprings are produced that mature late and live longer
(C) Type-II survivorship pattern is observed
(D) Semelparous</p> <p>12. Darwin's finches, which have adapted to different Galapaqos islands have different bill sizes, shapes colouration and body size. This is an example of :
(A) Homology
(B) Convergence
(C) Parallelism
(D) Adaptive radiation</p> <p>13. Which of the following fossil organs DOES NOT belong to pentoxylon plant ?
(A) Nipaniophyllum
(B) Sahnia
(C) Carnoconites
(D) Williamsonia</p> |
|--|---|

14. Which type of interaction that involves an individual sacrificing some of its own reproductive success for the benefit of the other ?

- (A) Co-operation
- (B) Mutualism
- (C) Commensalism
- (D) Altruism

15. Many species of bony fishes swim together in a coordinated fashion, called schooling.

Which one of the following is *not* true for the advantages of schooling ?

- (A) Avoiding predators
- (B) Locating food sources
- (C) Increases reproductive success
- (D) Attainment of faster growth

16. For developing transgenic mustard variety DMH-11 Bar, Barnase and Barstar genes were obtained from :

- (A) *Bacillus amyloliquefaciens*
- (B) *Bacillus thuringiensis*
- (C) *Agrobacterium tumefaciens*
- (D) *Erwinia uredovora*

17. Nowadays blood glucose is measured by glucometer, where the glucose is measured by :

- (A) rate of disappearance of substrate
- (B) rate of appearance of product
- (C) rate of electron flow from glucose to an electrode surface
- (D) rate of electron flow from electron donor to glucose

18. Match the following products with their method of production :

Column A

- I. Beer
- II. Wine
- III. Vinegar
- IV. Spirit

Column B

- (a) Fermentation of grape juice with yeast
- (b) Fermentation of malted grain and yeast
- (c) Fermentation followed by distillation of ethanol
- (d) Fermentation to produce ethanol followed by *Acetobacter* metabolism of ethanol

Codes :

- | | I | II | III | IV |
|-----|-----|-----|-----|-----|
| (A) | (b) | (a) | (d) | (c) |
| (B) | (c) | (a) | (d) | (b) |
| (C) | (c) | (b) | (a) | (d) |
| (D) | (a) | (d) | (b) | (c) |

19. Which phytoremediation approach involves reduced mobility of contaminants through sorption onto plant root surfaces ?
- (A) Phytostabilization
 - (B) Rhizofiltration
 - (C) Phytovolatilization
 - (D) Rhizodegradation
20. Blue white screening is done to :
- (A) Check expression of cloned gene
 - (B) Check the presence of a cloned insert in a plasmid
 - (C) Check the presence of a plasmid in bacteria
 - (D) Check the copy number of cloned insert in a plasmid
21. A vector is designed to replicate in both, *E.coli* and *Streptomyces*. It is reconstructed from *E.coli* plasmid and *streptomyces* plasmid. What is the type of such vectors ?
- (A) Phagemid vectors
 - (B) Shuttle vectors
 - (C) BAC vectors
 - (D) YAC vectors
22. For insertion of DNA into a suitable vector several methods are used and homopolymer tailing is one of them. Which specific enzyme is used in this method to synthesize homopolymer tail ?
- (A) T₄ DNA ligase
 - (B) Polynucleotide kinase
 - (C) Terminal deoxynucleotidyl transferase
 - (D) S₁ nuclease
23. Which region of CD spectrum gives details of secondary structure of a protein ?
- (A) Far-UV region
 - (B) Near-UV region
 - (C) Entire-UV region
 - (D) Both UV and Visible region
24. In RIA; radiolabelling is done for :
- (A) Antigen
 - (B) Antibody
 - (C) Antigen antibody complex
 - (D) Secondary antibody
25. For which distribution mean and variance are equal ?
- (A) Binomial distribution
 - (B) Chi-square distribution
 - (C) Poisson distribution
 - (D) Normal distribution

26. One of the following zones of electromagnetic spectrum is used for passive optical remote sensing :
- X-Ray
 - Visible band
 - Microwave
 - Radiowave
27. The heat shock response in *E.coli* increases the level of a regulator molecule that binds to promoter for RNA polymerase to increase the production of heat shock protein :
- pppG_{ppp}
 - σ^H/σ^{32} factor
 - AppppA
 - Diadeosine-3'
28. Which of the following protein inhibits kinase activity of yeast CDK by phosphorylation during G2 checkpoint ?
- Wee 1
 - CDC 25
 - CDC 20
 - RB (Retinoblastoma)
29. Genome size refers to the amount of DNA contained in a :
- Haploid genome
 - Diploid genome
 - Haploid as well as diploid genome
 - Complete organism
30. Why *Dinococcus radiodurans* is able to survive massive exposure to radiation ?
- It produces a thick shell which acts as a shield against radiation
 - It has unique DNA repair mechanism
 - Its cell secrete slime
 - It has many copies of genes encoding for DNA repair
31. How bacterial cells transport oxygen and water across the cell membrane ?
- Group translocation
 - Active transport
 - Facilitated diffusion
 - Simple passive diffusion
32. Which of the following component from *Halobacterium salinarum* absorb the energy in sunlight and generates proton motive force (pmf) through photocycling under anaerobic or microaerobic conditions ?
- Chlorosomes
 - Bacteriochlorophylla
 - Bacteriorhodopsin
 - Photosystem-I

- | | |
|--|---|
| <p>33. One of the signalling molecules used for bacterial cell-cell communication are :</p> <p>(A) N-acetyl hydroxy laccase
(B) N-acyl homoserine laccase
(C) N-acetyl homoserine lactone
(D) N-acyl homoserine lactone</p> <p>34. The embryonic origin of squamous cell carcinoma is :</p> <p>(A) Endoderm
(B) Mesoderm
(C) Mesenchymal tissue
(D) Ectoderm</p> <p>35. The kidney transplantation from one individual to another is a :</p> <p>(A) Isograft
(B) Allograft
(C) Autograft
(D) Xenograft</p> <p>36. When you are continuously exposed to specific antigen for a longer period which of the following statements falls <i>wrong</i> ?</p> <p>(A) There will be antibody class switching happening in the body
(B) There will be affinity maturation happening in the body
(C) The body produces same antibody always
(D) There will be primary and secondary response happening</p> | <p>37. Diffusion, formation of stable concentration gradient and functioning of hedgehog proteins critically depend on their association with :</p> <p>(A) Fatty acids
(B) Cholesterol
(C) Linolenic acid
(D) Carboxylic acid</p> <p>38. The visceral arches IV to VII of basic vertebrate body plan gave rise to one of the following systems during their evolution :</p> <p>(A) Digestive system
(B) Respiratory system
(C) Excretory system
(D) Nervous system</p> <p>39. Widely used molecular characterisation technique for identification of different strains of bacteria is :</p> <p>(A) Serological identification analysis
(B) 5S ribosomal RNA genes analysis
(C) 16S ribosomal RNA genes analysis
(D) Total mRNA genes analysis</p> |
|--|---|

- | | |
|---|---|
| <p>40. Translocation in philadelphia chromosome :</p> <p>(A) 19 to 21 chromosome region exchange</p> <p>(B) 9 to 21 chromosome region exchange</p> <p>(C) leads to the production of black urine</p> <p>(D) leads to the chronic myelogenous leukemia</p> <p>41. Paradox related to protein folding is :</p> <p>(A) C. Value paradox</p> <p>(B) Sherman paradox</p> <p>(C) Lombard's paradox</p> <p>(D) Levinthal's paradox</p> <p>42. Glucose 6 phosphate and glyceraldehyde 3 phosphate are processed by glycolysis. How many ATP molecules will be generated respectively from each ?</p> <p>(A) 2 ATP and 3 ATP</p> <p>(B) 3 ATP and 3 ATP</p> <p>(C) 3 ATP and 2 ATP</p> <p>(D) 4 ATP and 2 ATP</p> <p>43. How many ATP molecules are formed when sucrose is metabolized during glycolysis by substrate level phosphorylation ?</p> <p>(A) 2 (B) 4</p> <p>(C) 8 (D) 00</p> | <p>44. The vitamin which plays an important role in conversion of proline to hydroxyproline in building the appropriate collagen protein is :</p> <p>(A) Vitamin A</p> <p>(B) Vitamin B</p> <p>(C) Vitamin C</p> <p>(D) Vitamin D</p> <p>45. In Eukaryotes, the promoter sequence TATA box is located at :</p> <p>(A) 10 to 15 base pairs upstream of transcription site</p> <p>(B) 10 to 15 base pairs downstream of transcription site</p> <p>(C) 25 to 35 upstream of transcription site</p> <p>(D) 25 to 35 downstream of transcription site</p> <p>46. Which one is NOT true in case of CpG ?</p> <p>(A) CpG are island promoters</p> <p>(B) CpG are involved in gene regulation at chromatin level</p> <p>(C) CpG within promoters are methylated</p> <p>(D) Methylation in CpG is associated with 'C'.</p> <p>47. Ubiquitin ligases are associated with degradation of :</p> <p>(A) Protein</p> <p>(B) DNA</p> <p>(C) RNA</p> <p>(D) Carbohydrates</p> |
|---|---|

48. Which one of the following is *not* readily absorbed in the small intestine ?
 (A) Na^+ (B) Cl^-
 (C) K^+ (D) Mg^{++}
49. The menstrual cycle of human female is the example of biorhythm known as :
 (A) Ultradian rhythm
 (B) Tidal rhythm
 (C) Infradian rhythm
 (D) Circadian rhythm
50. Which of the following heat shock proteins is present in almost every compartment of the Eukaryotic cell ?
 (A) Hsp60 (B) Hsp70
 (C) Hsp90 (D) Hsp100
51. Muscle overactivity like long running needs more O_2 to the muscles. This is achieved by release of more O_2 from the blood hemoglobin due to :
 (A) more blood flows to the muscles
 (B) accumulation of lactic acid and increasing pH
 (C) accumulation of lactic acid and reducing pH
 (D) Increased demand of O_2 by the muscles
52. Given the abbreviations, which of the following equations describe best the glomerular filtration rate (GFR) ?
 K_f – glomerular capillary filtration coefficient
 P_g – glomerular hydrostatic pressure
 P_b – hydrostatic pressure of Bowman's capsule
 G_c – Osmotic pressure of plasma proteins in the glomerular capillary
 B_c – Osmotic pressure of proteins in Bowman's capsule
 (A) $\text{GFR} = K_f \times (P_g - P_b - G_c + B_c)$
 (B) $\text{GFR} = K_f + (P_g + P_b + G_c + B_c)$
 (C) $\text{GFR} = K_f - (P_g - P_b + G_c - B_c)$
 (D) $\text{GFR} = K_f \times (P_g + P_b - G_c - B_c)$
53. Name the water soluble non-B complex vitamin that is structurally similar to a monosaccharide :
 (A) Pantothenic acid
 (B) Biotin
 (C) Niacin
 (D) Ascorbic acid
54. The amino acid involved as a precursor in auxin biosynthesis is :
 (A) Serine (B) Tryptophan
 (C) Valine (D) Tyrosine
55. In aerobic respiration, oxidation of 1 molecule of glucose gives rise to how many ATPs ?
 (A) 10 (B) 25
 (C) 30 (D) 36

56. For the synthesis of one molecule of glucose through Calvin cycle are required.
 (A) 6 CO + 30 ATP + 12 NADPH
 (B) 6 CO + 12 ATP
 (C) 6 CO + 18 ATP + 12 NADPH
 (D) 6 CO + 18 ATP + 16 NADPH
57. The folding of sheet of cells, the migration of cells and apoptosis are all mechanisms of :
 (A) cleavage pattern
 (B) pattern formation
 (C) morphogenesis
 (D) differentiation
58. In *Drosophila*, the fate of early blastomeres is determined through :
 (A) Autonomous specification
 (B) Conductional specification
 (C) Syncytial specification
 (D) Maternal specification
59. How does P^{53} prevent the unrestrained proliferation cells leading to cancer ?
 (A) By preventing the proliferation of cells with damaged DNA
 (B) By acting as a transcription factor
 (C) By stimulating the synthesis of DNA repair enzymes which replace telomeres
 (D) By preventing cells from triggering apoptosis
60. Match the *correct* combination between A and B :
(A)
 (1) Prokaryotic cells
 (2) Eukaryotic cells
 (3) Eukaryotic cells
 (4) Prokaryotic cells
(B)
 (i) more than 10 micrometers and lack membrane surrounding every organelles
 (ii) more than 10 micrometers and lack membrane around some organelles
 (iii) less than 10 micrometers and possess membrane around some organelles
 (iv) less than 5 micrometers and lack membrane around all organelles
 (A) 1 and (ii)
 (B) 2 and (i)
 (C) 3 and (iii)
 (D) 4 and (iv)

61. Phages are collected from an infected *E.coli* donor strain of genotype ser⁺, gly⁺, leu⁺ and used to transduce a recipient of genotype ser⁻, gly⁻, leu⁻. The treated recipient population is plated on a minimal medium supplemented with leucine and serine. Many colonies grew. Which one of the following combination of genotypes is appropriate for the colonies that grew ?

- (A) ser⁻, gly⁻, leu⁺; ser⁺, gly⁻, leu⁺;
ser⁺, gly⁻, leu⁻
- (B) ser⁺, gly⁺, leu⁺; ser⁺, gly⁻, leu⁺;
ser⁺, gly⁻, leu⁻
- (C) ser⁻, gly⁺, leu⁺; ser⁺, gly⁺, leu⁺;
ser⁺, gly⁺, leu⁻
- (D) ser⁻, gly⁺, leu⁺; ser⁺, gly⁻, leu⁺;
ser⁺, gly⁻, leu⁻

62. Mark the most INCORRECT statement with respect to mammalian below :

- (A) Very small quantity of oxygen is transported as dissolved in plasma
- (B) Least amount of carbon dioxide is transported as dissolved in plasma
- (C) Increased carbon dioxide in blood favours release of oxygen from hemoglobin
- (D) Maximum carbon dioxide is transported as bound to hemoglobin

63. The following are certain statements regarding secondary metabolites found in plants. Among the following, which is FALSE ?

- (A) Alkaloids are nitrogen containing compounds
- (B) All terpenes are derived from five carbon isoprene units
- (C) Flavanoids contain 15 carbons arranged in two aromatic rings connected by a 3 carbon bridge
- (D) Phenylalanine is an intermediate in the biosynthesis of most plant alkaloids

64. In the absence of oxygen, the metabolic fate of pyruvic acid will be :
- (A) Its partial oxidation will take place
 - (B) Its complete oxidation will take place
 - (C) It will be utilized for reoxidation of NADH
 - (D) It will be utilized depending on energy need
65. Which of the following statement for Gibberellins is NOT CORRECT ?
- (A) Gibberellins regulate transition from juvenile to adult phases
 - (B) Gibberellins promote seed germination
 - (C) Gibberellins can regulate cell cycle
 - (D) Gibberellins are synthesized via the terpenoid pathway
66. During which of the following stages of meiosis, does the synaptonemal complex breakdown leading to the separation of two homologous chromosomes ?
- (A) Zygotene
 - (B) Pachytene
 - (C) Diplotene
 - (D) Diakinesis
67. Which of the following statements about embryo sac development in plants is NOT CORRECT ?
- (A) Embryo sac is mostly a 7-celled structure
 - (B) Plumbago type of embryo sac is derived from four megaspore nuclei
 - (C) Synergids are elongated cells present at the micropylar end of the embryo sac
 - (D) Polygonum type of embryo sac is derived from the micropylar megaspore of the tetrad and is eight nucleate

68. In chick, gastrulation involves inward movement of cells through the :

- (A) Blastoderm
- (B) Yolk
- (C) Cleavage furrow
- (D) Primitive streak

69. Heart muscles normally cannot be tetanized because :

- (A) It receives O_2 directly from the blood it pumps
- (B) Its absolute refractory period is long
- (C) It does not contain more Ca^{2+}
- (D) It does not possess Ca^{2+} channels

70. In which of the following evolutionary processes random changes in allele frequency can lead to loss of genetic diversity ?

- (A) Recombinant event
- (B) Gene flow
- (C) Genetic drift
- (D) Spontaneous selection

71. Match the antibiotics in Column A with their appropriate antimicrobial activity from Column B :

Column A

- I. Gatifloxacin
- II. Acyclovir
- III. Mefloquine
- IV. Griseofulvin

Column B

- (a) Antifungal agent
- (b) Antibacterial agent
- (c) Antiviral agent
- (d) Antiprotozoal agent

	I	II	III	IV
(A)	(b)	(a)	(d)	(c)
(B)	(b)	(c)	(d)	(a)
(C)	(d)	(c)	(a)	(b)
(D)	(b)	(d)	(c)	(a)

72. In the prokaryotic protein synthesis, initiation site of mRNA consists of.....codon preceded by

- (A) AUG, Shine-Dalgarno poly-purine hexamer
- (B) GUG, 5'-Cap
- (C) UAG', m7G
- (D) AGG', Methylated guanosine

- | | |
|--|--|
| <p>73. Which of the following sigma subunit of prokaryotic RNA Polymerase is responsible for transcription of housekeeping genes ?</p> <p>(A) Sigma 32</p> <p>(B) Sigma 54</p> <p>(C) Sigma 70</p> <p>(D) Sigma 28</p> <p>74. <u>Arabidopsis AtNHX1</u> gene encodes a tonoplast Na^+/H^+ antiporter used to develop transgenic plants to improve :</p> <p>(A) drought tolerance</p> <p>(B) salinity tolerance</p> <p>(C) pest resistance</p> <p>(D) pathogen resistance</p> <p>75. Which one is NOT an agglutination test ?</p> <p>(A) Widal test</p> <p>(B) Coombs test</p> <p>(C) Mantoux test</p> <p>(D) Blood group test</p> | <p>76. Which of the following statements about phytochrome is NOT CORRECT ?</p> <p>(A) Phytochrome contains PAS, GAF, PHY and PRD domains</p> <p>(B) Phytochrome is a light regulated protein kinase</p> <p>(C) Phytochrome are encoded by a multigene family</p> <p>(D) Phytochrome are normally found in the chloroplast</p> <p>77. In which of the following the hydrogen bond is NOT formed ?</p> <p>(A) between water and amino group of an amino acid</p> <p>(B) between carbonyl group of protein and amino group of protein</p> <p>(C) between hydroxy group of alcohol and water</p> <p>(D) between methyl group of alanine and water</p> <p>78. Heritability estimates the proportion of :</p> <p>(A) genetic variation in a group that can be attributed to phenotype</p> <p>(B) Phenotypic variation in an individual that can be attributed to genes</p> <p>(C) Phenotypic variation in a group that can be attributed to genes</p> <p>(D) Environmental variation in a group that can be attributed to phenotype</p> |
|--|--|

- | | |
|--|---|
| <p>79. Classically, prions are recognized as agent causing :</p> <p>(A) Schizophrenia</p> <p>(B) Cerebral stroke</p> <p>(C) Alzheimer's disease</p> <p>(D) Madcow disease</p> <p>80. Which of the following statements about crossing over is true ?</p> <p>(A) There is a greater probability for a crossover to occur between 2 genes farther apart from the genes nearer to each other</p> <p>(B) There is a lesser probability for a crossover to occur between 2 genes farther apart from the genes nearer to each other</p> <p>(C) Probability of crossover between 2 genes is inversely proportional to the distance between them</p> <p>(D) Maximum frequency of recombination that can result from crossing over between linked genes is 100%</p> | <p>81. Name the mechanism by which new alleles appears in a population.</p> <p>(A) Karyokinesis</p> <p>(B) Mutation</p> <p>(C) Heredity</p> <p>(D) Cytokinesis</p> <p>82. I : Acetylation and deacetylation of chromatin is associated with masking and unmasking of chromatin for transcription.</p> <p>II : The activity of HAT and HDAC is associated with condensing and relaxing the chromatin.</p> <p>Select the <i>correct</i> answer :</p> <p>(A) I only is correct</p> <p>(B) II only is correct</p> <p>(C) I is correct and II is wrong</p> <p>(D) II is correct and I is wrong</p> <p>83. Patch clamp technique is used in biological membrane studies. What is it mainly used to detect ? Select the <i>correct</i> option.</p> <p>(A) To estimate ion flow through ion channels</p> <p>(B) To quantify membrane proteins</p> <p>(C) To estimate membrane lipids in outer leaflet</p> <p>(D) To prove lateral diffusion of lipids in the membrane</p> |
|--|---|

84. During in vitro DNA synthesis which of the following radionucleotide is most preferred ?
(A) ^3H labelled dTTP
(B) ^{14}C labelled dUTP
(C) γ - ^{32}P labelled dTTP
(D) β - ^{32}P labelled dTTP
85. The nucleotides from the 5'end of the bacterial tRNA precursor are cleaved during the maturation process. Which enzyme is involved in this process ?
(A) RNase P
(B) RNase Z
(C) t-RNA nucleotidyl transferase
(D) S_1 nuclease
86. Which one of the following is *not* a DNA depurinating agent ?
(A) Ethyl ethane sulphonate
(B) Nitroso guanidine
(C) Dimethyl nitrosamine
(D) Methyl ethane sulphonate
87. Anatomically the conversion of series heart to parallel heart with separation of oxygenated and deoxygenated blood circulation observed as primary feature in the following evolutionary sequence in chordate evolution :
(A) Agnatha to Fishes
(B) Fishes to Amphibia
(C) Amphibia to Reptiles
(D) Birds to Mammals
88. Downy mildew is the most destructive fungal disease of grapevines and is caused by :
(A) *Plasmopara viticola*
(B) *Ascochyta rabiei*
(C) *Puccinia striiformis*
(D) *Sclerospora graminicola*
89. Presence of parasite on the surface of the body of host is called as :
(A) Infestation
(B) Infection
(C) Pollution
(D) Contamination

90. In which one of the following phenomena, coding region of the gene is affected, hence new protein is formed ?
- (A) Heterotopy
 - (B) Heterotypy
 - (C) Heterochrony
 - (D) Heterometry
91. Out of the following Helminthes which one of the groups is solitary and free living representatives ?
- (A) Turbellaria
 - (B) Trematoda
 - (C) Cestoda
 - (D) Nematoda
92. The gill like structure that is non-respiratory in function in the branchial chamber of some of the teleosts is known as :
- (A) Suprabranch
 - (B) Holobranch
 - (C) Hemibranch
 - (D) Pseudobranch
93. The *t*-RNA is specific for an amino acid and it differs in sequence of nucleotides. All *t*-RNA molecules contain a base paired stem that terminates in the CCA sequence at :
- (A) 3' termini
 - (B) 5' termini
 - (C) anticodon arm
 - (D) spacer arm
94. In Larval amphibians, which of the following neuropeptides controls the release of thyroid stimulating hormone (TSH) that in turn regulates metamorphosis by stimulating the secretion of T_3 & T_4 .
- (A) Thyrotropin releasing hormones (TRH)
 - (B) Gonadotropin releasing hormone (GnRH)
 - (C) Corticotropin releasing hormone (CRH)
 - (D) Growth hormone releasing hormone (GHRH)

95. DNA is NOT present in which one of the following ?
- (A) Bacteriophage T4
 - (B) Tobacco Mosaic Virus (TMV)
 - (C) Adenovirus
 - (D) Chloroplast
96. Proof reading activity of DNA Polymerase is :
- (A) 3' → 5' exonuclease activity
 - (B) 5' → 3' exonuclease activity
 - (C) Endonuclease activity
 - (D) 5' → 3' polymerase activity
97. The deamination of adenine leads to formation of :
- (A) Cytosine
 - (B) Hypoxanthine
 - (C) Xanthine
 - (D) Uracil
98. In enzyme kinetics the rate constant K_{cat} refers to :
- (A) Michaelis-Menten Constant
 - (B) Substrate concentration at V_{max}
 - (C) Turn over number
 - (D) Total number of active sites on the enzyme
99. What is the pI value of a non-standard amino acid X, whose pK_1 , pK_2 and pK_3 values are 2.5, 7.5 and 9.0 ?
- (A) 8.25 (B) 5.0
 - (C) 5.75 (D) 6.33
100. The diploid maize ($2n = 2X = 20$) treated with colchicine to induce tetraploidy. However, it showed sterility because :
- (A) Problems in mitosis
 - (B) Induced male sterility
 - (C) Problems in meiosis
 - (D) Induced self-incompatibility

MAR - 34223/II—C

ROUGH WORK